

Pick-Up Truck Antenna Mount

BY

GeoTool

WA6JKH



STAKE POCKET ANTENNA MOUNTS

The **STRONGEST** antenna mount available for your pickup truck stake pocket.

Patented design puts the antenna up where every inch of it will radiate!

Holds all UHF, VHF, and HF antennas, including Bug Catchers easily.

New Hardware for Screwdriver Antennas designed for base mounting!

GENERAL SPECIFICATIONS:

Attaches securely inside your trucks stake pocket using a 9/16" diameter bolt (some trucks use drilled bolt for routing coax, not required on others).

Sizes and shapes to fit all pickup trucks with stake pockets, including **CHEVROLET, GMC, FORD, TOYOTA, DODGE, MAZDA, RANGER and THUNDERBOLT**. Some trucks do not have a 5/8" anchor bolt hole at the bottom of the stake pocket, and this must be drilled by the user. Mounts fit trucks with straight stake pockets. Tapered stake pockets, or protrusions into side of pocket may not allow the mount to enter.

VHF/UHF mounts are supplied with SO-239 (Model VHF1-X) or NMO (Model VHF2-X) connector

HF - 3/8"-24 stainless steel threaded coupling nut and bolt, with nylon insulators and standard solder end connectors

3/8"-24 Stud mount is available in long and short lengths (SM1-X and SM2-X)

Check all dimensions carefully prior to ordering to ensure a proper fit. Specify truck model and stake pocket dimensions.

Dimensions: **Length:** 6.25" and 5.75" depending on mount type and truck model

Body: Various sizes to fit virtually all pickup trucks in the US

Materials: **Body:** 6061-T6 Aluminum with clear anodized finish

Top antenna mounting adaptors - Stainless Steel for HF, chromed brass SO-239 or brass NMO for VHF/UHF

Bottom mounting bolt - Stainless steel, 9/16"-18 or 9/16"-12 bolt (drilled to 0.28" for some models)

Connectors: **HF** - Stainless steel 3/8"-24 coupling nut and bolt with nylon insulators and standard solder-on connectors

VHF/UHF chromed brass coaxial soldered SO-239 connector or standard brass NMO connector

3/8"-24 Stud Mount - Grounded Bolt exits top of mount for some screwdriver antennas, and grounded masts for WEAK SIGNAL antennas (VHF-UHF loops etc.) and for use with Screwdriver Antennas with grounded bases, and the GeoTool Delrin Insulator.

Guarantee: 1 year against manufacturing defects - Mount body guaranteed 3 years or 50,000 miles.

Price: ALL MOUNTS ARE \$74.95 plus shipping

Terms: Check, money orders Visa, MasterCard, American Express. Expect approximately 5-7 day delivery.

Orders: Specify truck and stake pocket dimensions when ordering

Fax or mail the order form on back of this flyer, e-mail your order (info@geotool.com), or call us direct.

Fax/Phone: Fax: (949) 548-8885 Cell Phone (714) 403-2026 - 6:00pm to 8:00pm Pacific time, and most Saturdays

E-mail: info@geotool.com

Address GeoTool - Rick Curtis - 2375 Elden Ave A-2 - Costa Mesa, CA 92627

VISIT OUR WEB SITE AT: <http://www.geotool.com/antmount.htm/>

STRONGEST Pick-Up mount available

Easily installed

Highest quality craftsmanship

Anodized for corrosion resistance

Great for freeway and in-town driving

UHF/VHF and HF models available

Designed by a geologist

Easily endures off-road punishment


CHEVY, FORD, DODGE, GMC, MAZDA

FORD RANGER, TUNDRA, THUNDERBOLT

THANK YOU FOR YOUR
INTEREST IN

GeoTool

ANTENNA MOUNTS!



GEOTOOL ANTENNA MOUNT & INSULATOR ORDER FORM

NAME: _____ **TODAY'S DATE:** _____

Credit Card Billing Address - Street: _____

City, State, ZIP: _____

Shipping Address - Street: _____

City, State, ZIP: _____

TRUCK INFORMATION:

YEAR: _____
MAKE: _____
MODEL: _____

STAKE POCKET DIMENSIONS:

WIDTH: _____
LENGTH: _____
DEPTH: _____
DIAGONAL (MIN): _____

INDICATE MOUNT TYPE(S) AND QUANTITIES:

Qty.	Model	Price	Cost
_____	HF1 (6.25" - 3/8"-24 Antenna Connector)	\$ 74.95 each	\$ _____
_____	HF2 (5.75" - 3/8"-24 Antenna Connector)	\$ 74.95 each	\$ _____
_____	VHF1 (5.75" - SO-239 Antenna Connector)	\$ 74.95 each	\$ _____
_____	VHF2 (5.75" - NMO Antenna Connector)	\$ 74.95 each	\$ _____
_____	ISM (3/8"-24 Insulated Stud Connector)	\$ 74.95 each	\$ _____

EXTRAS:

DRILLED ANCHOR BOLT or MODIFIED SO-239 CONNECTORS: (Not supplied on mounts for some trucks)

_____	Drilled Anchor Bolt(s)	\$3.00 each	\$ _____
_____	Modified SO-239 Connector(s)	\$3.00 each	\$ _____

DELTRIN INSULATORS: For general mounting applications

_____	Delrin Insulator for use with GeoTool Mount Only		
_____	_____ Black _____ White	\$14.95 each	\$ _____
_____	Stainless Steel wire for insulator	\$ 2.49 each	\$ _____
_____	Delrin Insulator(s) for General Applications		
_____	_____ Black _____ White	\$24.95 each	\$ _____
_____	Stainless Steel wire for insulator	\$ 2.49 each	\$ _____

Price of Mounts and Accessories SUB TOTAL \$ _____

State of California Residents add 7.75% Sales Tax \$ _____

Shipping: 1 Mount = \$6.00 ? 2 Mounts = \$9.00 ? 1-2 Insulators \$4.50 \$ _____

TOTAL \$ _____

CREDIT CARD INFORMATION:

CARD TYPE: _____ VISA _____ MC _____ AMEX
NUMBER: _____
EXP. DATE: _____

CONTACT INFORMATION:

PHONE: _____ ALT. PHONE _____
EMAIL: _____

MAIL YOUR ORDER TO: GeoTool - Rick Curtis - 2375 Elden Ave A-2 - Costa Mesa, CA 92627 OR

FAX YOUR ORDER TO: (949) 548-8885 **CELL PHONE:** (949)-548-8822 **Email:** info@geotool.com

Order Taken/Received By: _____
Order Date _____

Date Card Processed: _____

Order Form Date: 5/14/07
Date Shipped _____

